

GARDEN HIGHPRO



we design you enjoy



growtents



fans



filters



tools



pots



lighting



meters



pulleys



growtents



fans



filters



tools



pots



lighting



meters




pulleys

GARDEN
HIGHPRO





PROBOX


BASIC VERSION



PROBOX - BASIC LINE GROW TENT

 plants friendly mylar reflectivity 97%

 Nylon 420D

 strong and stable structure

PROBOX - BASIC

	Sizes (LxWxH)	Hanging Capacity	Side Doors	Windows Air Inlet	Extraction Socks	Wires Socks
PROBOX BASIC 40	40x40x160cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 60	60x60x160cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 80	80x80x160cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 100	100x100x200cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 120	120x120x200cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 150	150x150x200cm	32kg	0 unit	1 unit	5 units	1 unit
PROBOX BASIC 240L	240x120x200cm	48kg	0 unit	2 units	6 units	2 units
PROBOX BASIC 240	240x240x200cm	86kg	2 units	2 units	6 units	2 units



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROBOX+

BASIC VERSION

28kg
- capacity -

patented



structure

PLANTS FRIENDLY



Tested and approved components

240L

240 x 120 x 200

PROBOX+

BASIC VERSION



42kg
- capacity -

patented



structure

PLANTS FRIENDLY



Tested and approved components

240

240 x 240 x 200

PROBOX+

BASIC VERSION



72kg
- capacity -

patented



structure

PLANTS FRIENDLY



Tested and approved components



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO




PROBOX


INDOOR VERSION



PROBOX - QUALITY GROW TENTS

 premium plants friendly mylar reflectivity 97%

 extra strong Nylon 680D and resistant zippers

 patented strong and stable structure

PROBOX	Sizes (LxWxH)	Hanging Capacity	Side Doors	Windows Air Inlet	Extraction Socks	Wires Socks
PROBOX PROPAGATOR	80x50x50cm	36kg	0 units	1 unit	2 units	1 unit
PROBOX INDOOR 80	80x80x160cm	36kg	2 units	3 units	5 units	3 units
PROBOX INDOOR 100	100x100x200cm	36kg	2 units	3 units	5 units	3 units
PROBOX INDOOR 100 PL	100x 60x160cm	36kg	0 units	3 units	3 units	1 unit
PROBOX INDOOR 120	120x120x200cm	36kg	2 units	3 units	5 units	3 units
PROBOX INDOOR 150	150x150x200cm	36kg	2 units	3 units	5 units	3 units
PROBOX INDOOR 200	200x200x200cm	36kg	4 units	2 units	8 units	4 units
PROBOX INDOOR 240L	240x120x200cm	54kg	2 units	2 units	8 units	4 units
PROBOX INDOOR 240	240x240x200cm	96kg	4 units	2 units	8 units	4 units
PROBOX INDOOR 300L	300x150x200cm	54kg	2 units	2 units	8 units	4 units
PROBOX INDOOR 300XL	300x200x200cm	96kg	4 units	2 units	8 units	4 units
PROBOX INDOOR 300XXL	300x300x200cm	96kg	4 units	2 units	8 units	4 units



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROBOX +

INDOOR VERSION

36kg
- capacity -

strong zip



patented



structure

PLANTS FRIENDLY



Tested and approved components

BQH

Best Quality HighPro

240L

240 x 120 x 200

PROBOX +

INDOOR VERSION



54kg
- capacity -



strong zip



patented structure



PLANTS FRIENDLY

Tested and approved components

BQH

Best Quality HighPro

240

240 x 240 x 200

PROBOX +

INDOOR VERSION



96kg
- capacity -



strong zip



patented structure



PLANTS FRIENDLY

Tested and approved components

BQH

Best Quality HighPro



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO




new




PEARLPRO+


HIGH PERFORMANCE REFLECTOR



More luminous emittance (+5.1%) than a conventional Stuco. With the same power consumption it provides a higher light output over the area of interest. PEARLPRO simply has higher efficiency. The same power intake gets better outputs.



Significant better light distribution (+10%) than a conventional Stuco. It decreases the size of hotspots, and distributes light more homogeneously. Thanks to its greater light distribution and intensity, the PEARLPRO has better coverage. Consequently, crop uniformity will be also higher, providing and expected yield increase.





growtents



fans



filters



tools



pots



lighting



meters





pulleys

GARDEN
HIGHPRO





INDOORMATRIX


LUMEN EVOLUTION




INDOOR MATRIX - LUMEN EVOLUTION

 highly professional reflector


 adapted for 400W - 1.000W HPS bulbs

 natural extraction of the heat

 adapted for MH - Metal Halide bulbs

Specifications

Length x bright x hight **68 x 62 x 15 cm**

Diameter air extraction  12.5 cm

E40 400W - 1.000W HPS bulbs
MH - Metal Halide bulbs

INDOOR MATRIX

Aluminium European aluminium
PVD coated aluminium

Extras cable incl. 4m / 1,5mm² / IEC





growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



new



PROTUBE+

HIGH PERFORMANCE REFLECTOR



connection box



PATENT PENDING

PROTUBE - HIGH PERFORMANCE

- + highly professional reflector
- + adapted for 250W - 600W HPS bulbs
- + plastic flanges for less heat build-up
- + unique protected design lamp holder connection


PROTUBE

Aluminium Conventional aluminium


Extras cable incl. 4m / 1,5mm² / IEC



PROTUBE 125S



PROTUBE 125M




PROTUBE 125L



PROTUBE 150L



PROTUBE 150XL
DOUBLE ENDED





growtents



fans



filters



tools



pots



lighting



meters






pulleys

GARDEN
HIGHPRO





MAXLIGHT+

HIGH PERFORMANCE COOL TUBE




PROXII+

HIGH PERFORMANCE COOL TUBE



PROLIGHT+

HIGH PERFORMANCE COOL TUBE



MAXLIGHT



Standard size
60 x 42 x 17 cm



Diameter air in/extraction
∅ 15 cm



conventional aluminium



adapted for 400W - 1000W
HPS bulbs + MH bulbs



SXII



XL size
71 x 50 x 17 cm



Diameter air in/extraction
∅ 15 cm



Prime European Aluminium
PVD coated



adapted for 400W - 1000W
HPS bulbs + MH bulbs



PROLIGHT



Super size
67 x 55 x 23 cm



Diameter air in/extraction
∅ 20 cm



Prime European Aluminium
PVD coated



adapted for 400W - 1000W
HPS bulbs + MH bulbs





growtents



fans



filters



tools




pots



lighting



meters






pulleys

GARDEN
HIGHPRO



new

MEDI**PRO**+



new

OPTI**PRO**+



light proof



extra strap



clear view



BQH
Best Quality HighPro

owlsen+
OPTICAL

MEDI**PRO** - KEEP THE RIGHT DISTANCE

+ Indicates the height between the top part of the plants and the light bulb, reducing the risk for the plants to get damaged for being too close to the heat generated by the bulb.

+ Allows to maintain during all the process of development of the plants the desired distance from the lamp to improve the lighting distribution and efficiency on the cultivation surface.

+ Modular system: height can be modified from 10 up to 50cm (4in/20in).

OPTI**PRO** - PROTECT VIEW

+ the best vision for indoor growing

+ protect your eyes from sodium lamps rays

+ standard version available





growtents



fans



filters



tools



pots



lighting



meters




pulleys

GARDEN
HIGHPRO



PROACTIV


ACTIVE CARBON FILTERS





100% food grade
virgin **coconut**
activated carbon




PROACTIV

 high density 730gr/m² activated carbon

 innovative flange and base to hang the filter directly from its tips

 longlasting active carbon filters

 food grade coconuts activated carbon.
The best carbon to remove organic smells

Diameter	m ³ /h	length
∅ 100 mm	250 m ³ /h	190 mm
∅ 125 mm	250 m ³ /h	190 mm
∅ 125 mm	400 m ³ /h	300 mm
∅ 125 mm	600 m ³ /h	450 mm
∅ 150 mm	460 m ³ /h	300 mm
∅ 150 mm	690 m ³ /h	450 mm
∅ 150 mm	840 m ³ /h	550 mm
∅ 160 mm	460 m ³ /h	300 mm
∅ 160 mm	690 m ³ /h	450 mm
∅ 160 mm	840 m ³ /h	550 mm
∅ 200 mm	800 m ³ /h	450 mm
∅ 200 mm	1.000 m ³ /h	550 mm

PROACTIV

PROACTIV filters use only food grade virgin coconuts activated carbon which is considered the best carbon to remove organic smell. Since the particles of activated carbon used in the **PROACTIV** filters are very small (∅ 0.4 to 0.8 mm), the odour neutralising surface is much larger compared to traditional carbon filters. The multilayer fleece mats are sealed air-tight in the base and cover, preventing any accidental intake of (unfiltered) air. The fleece mats technology reduces drastically the air pressure so that the air flow is much higher compared to classic carbon filters.



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROFAN

PROFESSIONAL CLIP FAN



20
- cm -

ENERGY SAVING
7.5W

BQH
Best Quality HighPro

PROFAN 20CM - 7.5W

lighter and more stable

extremely silent

save up to 25€ power consumption /year

direct drive magnetic engine

Diameter	Power	Speed	Air Flow
∅ 20 cm	7.5W	1.500 T/min	325 m3/h



PROFAN 20CM

Engine Direct Drive Magnetic

Voltage / Frequency 220V / 50Hz



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN HIGHPRO



PROFAN+

STANDARD CLIP FAN



GARDEN HIGHPRO+

15
- cm -

15
watts

2
speeds

PROFAN+

PROFESSIONAL CLIP FAN



GARDEN HIGHPRO+



15
- cm -

ENERGY SAVING
5W

BQH
Best Quality HighPro

CLIP FAN 15CM - STANDARD FAN

+ 15W power

+ 100% copper engine for longer life

+ 2 speeds + stop

+ strong clip for more stability

Diameter	Power	Speed	Air Flow
∅ 15 cm	15W	2.100 T/min	200 m3/h



PRO FAN 15CM - 5W

+ 5W power

+ direct drive magnetic engine

+ extremely silent

+ Save up to 25€ power consumption /year

Diameter	Power	Speed	Air Flow
∅ 15 cm	5W	2.100 T/min	215 m3/h





growtents



fans



filters



tools



pots



lighting



meters




pulleys

GARDEN
HIGHPRO



PROFAN +

PROFESSIONAL FLOOR FAN



LONGER LIFE

Ball Bearing engine

ENERGY EFFICIENT

100%
copper
engine

BQH

Best Quality HighPro

PROFAN - PROFESSIONAL FLOOR FAN

+ Ball Bearing Technology

+ Long lasting engine

+ 100% copper engine

+ extremely silent and super power

Diameter	Power	Speed	Air Flow
∅ 25 cm	25W	1.400 r/min	475 m3/h
∅ 30 cm	50W	1.400 r/min	2.520 m3/h
∅ 35 cm	80W	1.400 r/min	3.700 m3/h
∅ 40 cm	120W	1.400 r/min	4.200 m3/h
∅ 45 cm	130W	1.400 r/min	5.100 m3/h
∅ 50 cm	160W	1.400 r/min	5.700 m3/h

PROFESSIONAL FLOOR FAN

Engine Ball Bearing Technology
100% copper





growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROFAN+

TT EXTRACTOR FAN



COPPER
100%
ENGINE

MAX
POWER

2
speeds

PROFAN+

AXIAL INLINE FAN



MAX
POWER

COPPER
100%
ENGINE

PROFAN - TT EXTRACTOR FAN

+ 100% copper engine / more efficient

+ low speed / fast speed

Diameter	Power	Speed	Air Flow
TTMAX 100 ∅ 100 mm	21W	2.180 r/min	145 m3/h
	33W	2.385 r/min	187 m3/h
TTMAX 125 ∅ 125 mm	23W	1.950 r/min	220 m3/h
	37W	2.455 r/min	280 m3/h
TTMAX 150 ∅ 150 mm	30W	1.680 r/min	405 m3/h
	60W	2.460 r/min	520 m3/h

PROFAN - AXIAL INLINE FAN

+ 100% copper engine / more efficient

+ extremely silent and super power

Diameter	Power	Speed	Air Flow
∅ 100 mm	15W	2.300 r/min	107 m3/h
∅ 125 mm	20W	2.400 r/min	190 m3/h
∅ 150 mm	30W	2.400 r/min	305 m3/h



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROHYGRO+

HYGROTHERMO BASIC



PROHYGRO+

HYGROTHERMO MEDIUM



PROHYGRO+

HYGROTHERMO PREMIUM



PROHYGRO - BASIC

+ Indoor Thermometer with hygrometer

+ Temperature range: 0 - 50 / 32 - 122 F

+ Indoor-hygro range: 25% RH to 90%




PROHYGRO-MEDIUM

+ Indoor Thermometer with hygrometer

+ Temperature range: 0 - 50 / 32 - 122 F

+ Indoor-hygro range: 25% RH to 90%

+ 1.50m external probe IN / OUT temperature



PROHYGRO-PREMIUM

+ Indoor Thermometer with hygrometer

+ Temperature range: 0 - 50 / 32 - 122 F

+ Indoor-hygro range: 25% RH to 90%

+ 1.50m external probe IN / OUT temperature





growtents



fans



filters



tools



pots



lighting



meters




pulleys

GARDEN
HIGHPRO



LIGHTHANGER+

INNOVATIVE PLASTIC ROPE RATCHET




5kg
capacity / pair

Best Product
Year 2013

BQH
Best Quality HighPro

PROHANGER+

HIGH QUALITY ROPE RATCHET




48kg
capacity / pair

ultra strong

BQH
Best Quality HighPro

PROHANGERXL+

HIGH QUALITY ROPE RATCHET XL



48kg
capacity / pair

fit to the structure

BQH
Best Quality HighPro

LIGHTHANGER

+ easier to use than conventional pulleys

+ fixing pulleys up to 5kg capacity

+ regulate to the minimeter the height

+ 1.05m rope length (3.4ft)

PROHANGER

+ strong and ultra resistant pulleys

+ fixing pulleys up to 48kg capacity

+ ideal to hang heavy carbon filters

+ 1.50m rope length (4.3ft)

PROHANGER XL

+ XL carabiners that fit to the structure

+ fixing pulleys up to 48kg capacity

+ regulate to the minimeter the height

+ 1.50m rope length (4.3ft)



growtents



fans



filters



tools



pots



lighting



meters



pulleys


GARDEN
HIGHPRO





new



PROCUF - ULTRA STRONG ROPE RATCHET COMPLEMENT

 Fit all tipe of tubes up to 5cm diameter

 the best product to secure heavy reflectors and carbon filters

 ultra strong hanging capacity up to 84kg/pair



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROPOT+

active fabric pots




PRONET+

modulable elastic net



36
growing
spaces

modulable
60 x 120cm
grow tents



PROPOT 1.5L 4L 7L 11L 15L 20L 30L 50L

+ ideal for indoor and outdoor growing

+ the roots do not grow in circle and can breath properly

+ 260gr/m2 density + reinforced bottom

Capacity	Sizes	Handles
1.5 L	10 x 10 x 21 cm	no
4 L	15 x 15 x 20 cm	no
7 L	18 x 18 x 23 cm	no
11 L	23 x 23 x 25 cm	no
15 L	23 x 23 x 28 cm	2 ud
20 L	26 x 26 x 30 cm	2 ud
30 L	30 x 30 x 33 cm	2 ud
50 L	33 x 33 x 46 cm	2 ud

PRONET MODULABLE 120 & 150

+ soft elastic rubber net

+ ideal for grow tents from 60 to 150

+ to guide and support flowering plants

References	size	grow spaces
PRONET MODULABLE	120 x 120 cm	36 spaces
PRONET MODULABLE	150 x 150 cm	64 spaces



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



PROCUT+

CURVED AND STRAIGHT PRUNNING SCISSORS



extra sharp



easy use



BQH
Best Quality HighPro

PROCUT+

ONE EYE SCISSORS



easy use



BQH
Best Quality HighPro



PROCUT



100% INOX blades



prime quality components



durable and long lasting



straight and curved version available



PROCUT



100% INOX blades



prime quality components



durable and long lasting



growtents



fans



filters



tools



pots



lighting



meters



pulleys


GARDEN
HIGHPRO



new

PRODRY+

PIRME QUALITY DRYING SYSTEMS



easy clipping



super strong



BQH
Best Quality HighPro

new

PROFLEX+

ALUMINIUM DUCTING FLEXIBLE TUBES



double layer



super resistant



BQH
Best Quality HighPro

PRODRY - DRYING NET

+ high quality microperforated fabric

+ removable duplex trays

+ stabilizer band connecting each tray

+ strong clip for more stability

Diameter	# Trays	Drying Surface
∅ 55 cm	4 trays	570 cm ²
∅ 75 cm	6 trays	1.060 cm ²
∅ 95 cm	6 trays	1.700 cm ²


PROFLEX - HIGH QUALITY DUCTING

+ double layer aluminium

+ strong and stable ducting

Diameter	Lenght available	Inox Clamps
∅ 102 mm	3m / 5m / 10m	2 units
∅ 127 mm	3m / 5m / 10m	2 units
∅ 152 mm	3m / 5m / 10m	2 units
∅ 162 mm	3m / 5m / 10m	2 units
∅ 203 mm	5m / 10m	2 units
∅ 254 mm	10m	2 units
∅ 317 mm	10m	2 units
∅ 354 mm	10m	2 units

new



MEDIPRO+



GARDEN
HIGHPRO +



HIGHLIGHT HORTICULTURE
Units D1-D2 12 Moorbridge Rd
Nottinghamshire NG13 8GG
UNITED KINGDOM
Tel +44 (0) 115.926.15.00
sales@highlight.to



BINNEN TUINBOUW TECH.
Prins Hendrikstraat 129
2518 HN Den Haag
THE NEETHERLANDS
Tel +31 (0) 793.63.11.00
info@btt.nl



DREHANDEL GmbH
Libauerstrasse 17
10245 Berlin
GERMANY
Tel +49 (0) 30.43.20.34.84
mail@drehandel.de
info@drehandel.de



NATURAL SYSTEMS
P. I. Llanos de Jarata
Calle Marconi 8
14550 Montilla, Córdoba
SPAIN
Tel (+34) 957.655.410
info@naturalsystems.es



FLORATECK, sarl
ZI Chasseneuil
30 Avenue du 21^e siècle
86360 Chasseneuil Poitou
FRANCE
Tel +33 (0) 549.41.19.45
info@florateck.fr



BUSHPLANET DIST.
Industriestrasse D / Nr. 5
A-2345 Brunn Am Gebirge
AUSTRIA
Tel +43(0) 1 609 1314
info@bushplanet.at



ALEGRE GROWSHOP
Emmanuil mpenaakh 93-95
10681 Atenas
GREECE
Tel (+30) 210.380.52.53
info@alegre.gr



SOLUÇÕES VERDES
Rua Da Bem Postinha N19B
1150-065 Lisboa
PORTUGAL
Tel (+351) 96.512.48.67
cognoscitiva@gmail.com



GROWSHOP
Borivojova 741/95
Praha 3
CZECH REPUBLIC
+420 222.734.896
office@growshop.cz



GROWTRADE RUSSIA
10, Kirov Street
614000 Perm
RUSSIA
Tel
info@growtrade.ru



CANTELLA OY
Pukinmäenkaari 7 D 45
00700 Helsinki
FINLAND
Tel (+358) 404.66.66.16
info@getdirect.fi



AGRICOLA MERCOSUR
Calle Fischer 236, Recoleta
Santiago de Chile
CHILE
Tel (+562) 245.55.676
info@agricolamercosur.com



HYDROPOINT
Rincón 672
Punta del Este - Maldonado
URUGUAY
Tel (+598) 42.22.00.50
info@hydropoint.com.uy



CONO SUL HYDROPONICS
Av. Dom Manuel, 166, centro
Fortaleza-CE
BRAZIL
Tel (+55) 85 3016 2516
info@conosul.com.br



MUNDO CULTIVO
c/ del Escondite
Buenos Aires
ARGENTINA
Tel (+54) 911 4304-0195
info@mundocultivo.net



ZEN GUERRILLA
Colonia Roma Sur
Cuauhtémoc
Ciudad de México
MEXICO
Tel (+55) 24212702
info@zenguerilla.mx



MERCOAGRICOLA
Centro comercial Santa Fe
Local 3230
050022 Medellín
COLOMBIA
Tel (+57) 300.552.5235
info@mercoagricola.com



URBAN AGRICULTURAL
1705 S 93rd St Suite F1
Seattle, WA 98108
USA
Tel +1 (206) 243.2207
info@urbanagws.com

we design you enjoy



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



SPANNABIS, Barcelona, Spain, March 2016



SPANNABIS, Barcelona, Spain, March 2016



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



EXPOWEED, Santiago de Chile, Chile, November 2015



EXPOWEED, Santiago de Chile, Chile, November 2015



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



EXPOCANNABIS, Montevideo, Uruguay, December 2015



CANNAFEST, Prague, Czech Republic, November 2015



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



SPANNABIS, Barcelona, Spain, March 2015



MAXIMUM YIELD, Seattle, USA, March 2015



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



EXPO CANNABIS, Montevideo, Uruguay, December 2014



EXPOWEED, Santiago de Chile, Chile, November 2014



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



CANAFEST, Praga, Czech Republic, November 2014



MAXIMUM YIELD, Boston, USA, October 2014



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



GROWEXPO, Lodon, UK, September 2014



EXPOGROW, Irun, Spain, September 2014



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



MAXIMUM YIELD, San Francisco, USA, July 2014



SPANNABIS, Malaga, Spain, June 2014



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



HOME GROWN EXPO, Coventry, UK, May 2014



TECHNIGROW, Lyon, France, March 2014



growtents



fans



filters



tools



pots



lighting



meters



pulleys

GARDEN
HIGHPRO



SPANNABIS, Barcelona, Spain, March 2014